



BANKSIA FENCING



Banksia Fencing - Complies with AS2423-2002

CODE	DESCRIPTION	WEIGHT	STOCK	GAL	P/COAT
PANELS - Ø5mm WELDED WIRE					
BAPL2409	HEIGHT 900mm - WIDTH 2400mm - ZALCOTE	9.6Kg	YES		
BAPL2412	HEIGHT 1200mm - WIDTH 2400mm - ZALCOTE	11.2Kg	YES		
GATES - FRAME 25x25x1.2mm - ALL HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL					
BASD1009	SINGLE GATE - H900 x W960mm - HOT DIP GALVANISED	7.2Kg	YES		
BASD1609	SINGLE GATE - H900x W1480mm - HOT DIP GALVANISED	10Kg	YES		
BASD1012	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	8.8Kg	YES		
BASD1612	SINGLE GATE - H1200 x W1480mm - HOT DIP GALVANISED	12.2Kg	YES		
• Double gate comprises of 2 single gate leaves					
POSTS - 50x50x1.6mm					
PST 5050 150 GS	POST - 50 x 50 x 1500mm - SUIT 900mm PANEL - GALVANISED	4Kg	YES		
PST 5050 190 GS	POST - 50 x 50 x 1900mm - SUIT 1200mm PANEL - GALVANISED	5Kg	YES		
FLANGED POSTS - 50x50x1.6mm					
PSTF 5050 900 GS	FLANGEPOST 50 x 50 x 1000mm - SUIT 900mm PANEL - GALVANISED	4Kg	YES		
PSTF 5050 120 GS	FLANGEPOST 50 x 50 x 1300mm - SUIT 1200mm PANEL - GALVANISED	5Kg	YES		
FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY					
SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED		YES		
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED		YES		
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED		YES		
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC		YES		-
S STD SG PK G	SINGLE GATE PACK - 2 HINGES, 'D' LATCH & STRIKER, 2 GATE CAPS		YES		
S STD DG PK G	DBLE GATE PACK - 4 HINGES, 'D' LATCH & STRIKER, DROP BOLT, 4 GATE CAPS		YES		

GARDEN FENCING



Garden Fencing - Complies with AS2423-2002

CODE	DESCRIPTION	WEIGHT	STOCK	GAL	P/COAT
PANELS - Ø5mm WELDED WIRE					
SGP 075 240 ZL	HEIGHT 750mm - WIDTH 2400mm - ZALCOTE	11.2Kg	NO		
SGP 090 240 ZL	HEIGHT 900mm - WIDTH 2400mm - ZALCOTE	13.7Kg	YES		
SGP 120 240 ZL	HEIGHT 1200mm - WIDTH 2400mm - ZALCOTE	16.7Kg	YES		
SGP 150 240 ZL	HEIGHT 1500mm - WIDTH 2400mm - ZALCOTE	19.7Kg	YES		
SGP 180 240 ZL	HEIGHT 1800mm - WIDTH 2400mm - ZALCOTE	22.7Kg	YES		

GATES - NOTE: ALL GATE HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL

SGSG 090 100 GH	SINGLE GATE - H900 x W960mm - HOT DIP GALVANISED	8.5Kg	YES		
SGSG 090 150 GH	SINGLE GATE - H900 x W1460mm - HOT DIP GALVANISED	11.5Kg	YES		
SGSG 120 100 GH	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	10.2Kg	YES		
SGSG 120 150 GH	SINGLE GATE - H1200 x W1460mm - HOT DIP GALVANISED	13.8Kg	YES		
SGSG 150 100 GH	SINGLE GATE - H1500 x W960mm - HOT DIP GALVANISED	13Kg	YES		
SGSG 150 150 GH	SINGLE GATE - H1500 x W1460mm - HOT DIP GALVANISED	16.4Kg	YES		
SGSG 180 100 GH	SINGLE GATE - H1800 x W960mm - HOT DIP GALVANISED	14.2Kg	YES		
SGSG 180 150 GH	SINGLE GATE - H1800 x W1460mm - HOT DIPPED GALVANISED	19.5Kg	YES		

- Double gate comprises of 2 single gate leaves. Hinges extra see below.


POSTS

PST 5050 150 GS	POST - 50 x 50 x 1500mm - GALVANISED	4Kg	YES		
PST 5050 190 GS	POST - 50 x 50 x 1900mm - GALVANISED	5Kg	YES		
PST 5050 210 GS	POST - 50 x 50 x 2100mm - GALVANISED	6Kg	YES		
PST 5050 240 GS	POST - 50 x 50 x 2400mm - GALVANISED	7Kg	YES		

FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED		YES		
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED		YES		
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED		YES		
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC		YES		-
S STD SG PK G	SINGLE GATE PACK - 2 HINGES, 'D' LATCH & STRIKER, 2 GATE CAPS		YES		
S STD DG PK G	DBLE GATE PACK - 4 HINGES, 'D' LATCH & STRIKER, DROP BOLT, 4 GATE CAPS		YES		

BOULEVARD SAFETY & SECURITY MESH FENCING (ACACIA, CLASSIC)



Boulevard Safety & Security Mesh Fencing (Acacia, Classic) - Complies with AS2423-2002

CODE	DESCRIPTION	WEIGHT	STOCK	GAL	P/COAT
------	-------------	--------	-------	-----	--------

PANELS - Ø5mm WELDED WIRE

SBP 090 240 ZL	HEIGHT 900mm - WIDTH 2400mm - ZALCOTE	16.8Kg	YES		
SBP 120 240 ZL	HEIGHT 1200mm - WIDTH 2400mm - ZALCOTE	20.5Kg	YES		
SBP 180 240 ZL	HEIGHT 1800mm - WIDTH 2400mm - ZALCOTE	26.2Kg	YES		

GATES - FRAME 25NB - ALL HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL - EL= EACH LEAF

SBSG 090 100 GH	SINGLE GATE - H900 x W975mm - HOT DIP GALVANISED	13Kg	YES		
SBSG 120 100 GH	SINGLE GATE - H1200 x W975mm - HOT DIP GALVANISED	15.4Kg	YES		
SBSG 180 100 GH	SINGLE GATE - H1800 x W975mm - HOT DIP GALVANISED	19.6Kg	YES		
SBDG 090 300 GH	DOUBLE GATE - 2 OF H900 x W1475mm GATE LEAVES - HDG	18Kg/EL	YES		
SBDG 120 300 GH	DOUBLE GATE - 2 OF H1200 x W1475mm GATE LEAVES - HDG	21.2Kg/EL	YES		
SBDG 180 300 GH	DOUBLE GATE - 2 OF H1800 x W1475mm GATE LEAVES - HDG	26.6Kg/EL	YES		

POSTS - ALL POSTS ARE STRAIGHT AND FROM EXTRA LIGHT PIPE - CAPS NOT INCLUDED


PST SX 40NB OB 1500	POST - 40NB x 1500mm - SUIT 900mm PANEL - GALVANISED	4.1Kg	YES		
PST SX 50NB OB 1600	POST - 50NB x 1600mm - SUIT 900mm PANEL - GALVANISED	5.5Kg	YES		
PST SX 40NB OB 1800	POST - 40NB x 1800mm - SUIT 1200mm PANEL - GALVANISED	6Kg	YES		
PST SX 50NB OB 1980	POST - 50NB x 1980mm - SUIT 1200mm PANEL - GALVANISED	6.9Kg	YES		
PST SX 80NB OB 1980	POST - 80NB x 1980mm - SUIT 1200mm PANEL - GALVANISED	11.4Kg	YES		
PST SX 40NB OB 2400	POST - 40NB x 2400mm - SUIT 1800mm PANEL - GALVANISED	6.6Kg	YES		
PST SX 50NB OB 2600	POST - 50NB x 2600mm - SUIT 1800mm PANEL - GALVANISED	9Kg	YES		
PST SX 80NB OB 2600	POST - 80NB x 2600mm - SUIT 1800mm PANEL - GALVANISED	15Kg	YES		

FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GAL.	YES			
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GAL.	YES			
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GAL.	YES			
DH4025	2 PART HINGE - POST 40NB / GATE 25NB - GALVANISED	YES			
DH5025D	2 PART INTERLOCKING HINGE - POST 50NB / GATE 25NB - GAL.	YES			
DH8025D	2 PART INTERLOCKING HINGE - POST 80NB / GATE 25NB - GAL.	YES			
DCAC29	'D' LATCH - GALVANISED	YES			
DBTS28R	'D' LATCH STRIKER - GALVANISED	YES			
DCAC22	DOUBLE GATE BOW - GALVANISED	YES			
DB15LG	DROP BOLT - GALVANISED	YES			

Panels can be manufactured in Hot Dip Galvanised finish subject to minimum order requirements.

BOULEVARD SECURITY FENCING



Boulevard Security Fencing - Complies with AS2423-2002 - DET Specification - Contract 0601006

CODE	DESCRIPTION	WEIGHT	STOCK	GAL	P/COAT
MESH PANELS - Ø5mm WELDED WIRE					
BSP 210 240 ZL	HEIGHT 2100mm - WIDTH 2400mm - ZALCOTE	29.7Kg	NO		
BSP 240 240 ZL	HEIGHT 2400mm - WIDTH 2400mm - ZALCOTE	33.5Kg	NO		

GATES - FRAME 32NB x 3.2mm - BROADHURST DOUBLE LOCK BOX KIT & DROP BOLT + HINGE COLLAR - GATE SIZES ACTUAL

BSG 210 120 GH	SINGLE GATE - H2100 x W1200mm - HOT DIP GALVANISED	33Kg	NO		
BSG 240 210 GH	SINGLE GATE - H2400 x W1200mm - HOT DIP GALVANISED	40Kg	NO		
BSG 210 480 GH	DOUBLE GATE - 2 X H2100 x W2400mm GATE LEAVES - HDG	148.3Kg	NO		
BSG 240 480 GH	DOUBLE GATE - 2 X H2400 x W2400mm GATE LEAVES - HDG	155.4Kg	NO		

POST ASSEMBLIES - INCLUDES 8 x Ø10mm PANEL ATTACHMENT HOLES + GALVANISED CAP


BSPS5030	INTERMEDIATE - 50NB x 3000mm - 2100mm PANEL - MEDIUM GAL	15.6Kg	NO		
BSPS5032	INTERMEDIATE - 50NB x 3250mm - 2400mm PANEL - MEDIUM GAL	16.8Kg	NO		
BSPS5036	INTERMEDIATE - 50NB x 3600mm - 2400mm PANEL - MEDIUM GAL	18.7Kg	NO		
BSPS10030	GATE POST - 100NB x 3000mm - 2100mm PANEL - MEDIUM GAL	37.2Kg	NO		
BSPS10036	GATE POST - 100NB x 3600mm - 2400mm PANEL - MEDIUM GAL	44.7Kg	NO		

FITTINGS - NOT INCLUDED IN PANEL/POST/GATE PRICES - PLEASE ORDER SEPARATELY

DUC8/10G	'U' CLIP - GALVANISED		YES		
DH08090G	M8 x 90mm HEXAGONAL BOLT & NUT - SUIT 50NB POST - GALVANISED		YES		
DH08150G	M8 x 150mm HEXAGONAL BOLT & NUT - SUIT 100NB POST - GALVANISED		YES		
DSH10032	100NB x 32NB TWO PART HINGE & ATTACHMENT - GALVANISED		YES		

CONFORMS TO DEPARTMENT OF COMMERCE SCHOOL SECURITY FENCING SPECIFICATION TYPE 3 - CONTRACT NO. 0601006

ROLL TOP POOL SAFETY FENCING (WATTLE)



Pool Fencing (Wattle) - Complies with AS2423-2002 SECTION 8 - AS1926-2007

CODE	DESCRIPTION	WEIGHT	STOCK	GAL	P/COAT
PANEL - Ø5mm HORIZONTAL WIRE - Ø8mm VERTICAL WIRE					
SPP 120 240 GH	HEIGHT 1270mm - WIDTH 2400mm - HOT DIP GALVANISED	25.3Kg	YES		
SPP 150 240 GH	HEIGHT 1500mm - WIDTH 2400mm - HOT DIP GALVANISED	28.6Kg	YES		

GATES - FRAME 25x25x1.2 - NOTE: ALL HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL

SPSG 125 100 GH	SINGLE GATE - H1270 x W960mm - HOT DIP GALVANISED	12.1Kg	YES		
SPSG 150 100 GH	SINGLE GATE - H1500 x W960mm - HOT DIP GALVANISED	14.3Kg			

POSTS


PST 5050 190 GS	POST - 50 x 50 x 1.6 x 1900mm - GALVANISED	5Kg	YES		
PST 5050 210 GS	POST - 50 x 50 x 1.6 x 2100mm - GALVANISED	6Kg	YES		

FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED		YES		
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED		YES		
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED		YES		
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC		YES		-
S SPR SG PK G	SINGLE GATE PACK - 2 SPRING HINGES, 2 GATE CAPS		YES		
DMLTPS2BGA	MAGNA LATCH - SERIES 2		YES		-

TO PROVIDE MAXIMUM SAFETY POOL FENCING MUST BE INSTALLED TO THE REQUIREMENTS OF AS1926-2007 & PROPERLY MAINTAINED.

ESPLANADE SWIMMING POOL SAFETY FENCING (WILLOW)



Esplanade Fencing - Complies with AS2423-2002 SECTION 8

CODE	DESCRIPTION	WEIGHT	STOCK	GAL	P/COAT
RESIDENTIAL APPLICATIONS - ALL HEIGHT & WIDTH DIMENSIONS ARE ACTUAL					
PANELS - 25 x 25 x 1.6mm RAILS - - Ø5mm HORIZONTAL WIRE - Ø8mm VERTICAL WIRE					
SEP1224R	HEIGHT 1200mm - WIDTH 2400mm - HOT DIP GALVANISED	19.9Kg	YES		
GATES - 25 x 25 x 1.6mm RAILS - ALL HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL					
SESG 120 100 R	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	11.5Kg	YES		
HEAVY DUTY COMMERCIAL APPLICATIONS - ALL HEIGHT & WIDTH DIMENSIONS ARE ACTUAL					
PANELS - 30 x 30 x 1.6mm RAILS - Ø5mm HORIZONTAL WIRE - Ø8mm VERTICAL WIRE					
SEP 130 240 GH	HEIGHT 1210mm - WIDTH 2400mm - HOT DIP GALVANISED	23.7Kg	NO		
GATES - 30 x 30 x 1.6mm RAILS					
SESG 130 090 GH	SINGLE GATE - H1210 x W960mm - HOT DIP GALVANISED	11.3Kg	NO		
POSTS					
PST 5050 190 GS	POST - 50 x 50 x 1.6 x 1900mm - GALVANISED	5Kg	YES		
FITTINGS					
RESIDENTIAL - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY					
SEBP425G	25x25 RAIL BRACKET 4 PACK (4 BRACKETS + 8 TEK SCREWS) - GAL		YES		
SEBP1225G	25x25 RAIL BRACKET 12 PACK (12 BRACKETS + 24 TEK SCREWS) - GAL		YES		
SEBP2025G	25x25 RAIL BRACKET 20 PACK (20 BRACKETS + 40 TEK SCREWS) - GAL		YES		
COMMERCIAL - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY					
SEBP430G	30x30 RAIL BRACKET 4 PACK (4 BRACKETS + 8 TEK SCREWS) - GAL		YES		
SEBP1230G	30x30 RAIL BRACKET 12 PACK (12 BRACKETS + 24 TEK SCREWS) - GAL		YES		
SEBP2030G	30x30 RAIL BRACKET 20 PACK (20 BRACKETS + 40 TEK SCREWS) - GAL		YES		
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC		YES		-
S SPR SG PK G	SINGLE GATE PACK - 2 SPRING HINGES, 2 GATE CAPS		YES		
DMLTPS2BGA	MAGNA LATCH - SERIES 2		YES		-

TO PROVIDE MAXIMUM SAFETY POOL FENCING MUST BE INSTALLED TO THE REQUIREMENTS OF AS1926-2007 & PROPERLY MAINTAINED.